

**Eco Mark Product Category No. 143 “Shoes and Footwear Version 1.0”
Certification Criteria (draft)**

B. Rubber, Plastic, and Fabric Shoes

Japan Environment Association
Eco Mark Office

1. Applicable Scope

Of “footwear” based on the “Standard commodity classification for Japan,” shoes with uppers made of leather (including high and low boots).

2. Certification Criteria and Procedures

For certification of conformity to each reference items, submit the attached certification.

2-1. Environmental Criteria and Certification Procedures

2-1-1. Common Environmental Criteria and Certification Procedures

- (1) Leather material used for products shall be calf and cow leather, pig leather, sheep leather, horse leather or goat leather, and at the same time, by-products of meat (foods).

[Certificate Procedure]

Submit a certificate for material used that stipulates the material used for upper, lining, sock lining (insole for products without sock lining), and outsole. In addition, for leather material, attach the material supply certificate which tanners issue.

- (2) Main material of uppers or soles shall conform to the following requirements a or b:

a. To be superior in strength such as flexibility, wear resistance, etc.

b. The blending ratio of recycled material, etc. satisfies any of the following requirements of Table 1.

Table 1 Reference compounding ratio of recycled material, etc.

Material classification	Recycles material, etc.	Reference compounding ratio (mass%) in main material of uppers or soles
Textiles	Unused textiles, recycled refibrillated textiles, waste plant fiber	More than 10%
	Polymer recycled fibers, chemical recycled fibers	More than 40%

	Unbleached cotton, hydrogen peroxide bleached cotton, ozone bleached cotton, and no fluorescent brightener (see Table 2)	100%
	Organically grown cotton	100%
Plastics	Recycled plastics	More than 20%
Rubber	Recycled rubber	More than 20%
Timber	Lumber from thinning, waste wood, lower grade timber, waste plant fiber	100%

- * In the event that recycled material is used for ground fabric of artificial leather and synthetic leather, the reference compound ratio of textiles shall apply.

Table 2 List of chemicals that can be used for finishing process.

In the case of hydrogen peroxide bleaching (refining and bleaching are conducted in the same process)	
<Process>	<Chemicals allowed to be used>
Starch removal	Boiling water, citric acid, acetic acid, salt, enzyme (protease, lipase, amylase, cellulase, etc.), low-impact and biodegradable anionic, cationic, nonionic active agents, sodium gluconate, other organic chelating agents
Refining and bleaching	Boiling water, enzyme (protease, lipase, amylase, cellulase, etc.), citric acid, acetic acid, low-impact and biodegradable anionic, cationic, nonionic active agents, sodium gluconate, other organic chelating agents, soda ash, not more than 1.5% (as purity content) hydrogen peroxide. However, they must be removed by enzyme or boiling water, citric acid, and acetic acid and no residue shall be left on the final textile.
In the case of non-bleaching (refining and bleaching are conducted in separate process)	
<Process>	<Chemicals allowed to be used>
Starch removal	Not specified
Refining (no bleaching conducted)	Boiling water, enzyme (protease, lipase, amylase, cellulase, etc.), citric acid, acetic acid, low-impact and biodegradable anionic, cationic, nonionic active agents, sodium gluconate, other organic chelating agents

[Certification Procedure]

With respect to Requirement “a,” submit test results that indicate that the main material for uppers or soles has had flexibility, wear resistance, and other strength performance more than 50% improved (more than grade 1 as a grade when any performance grade is prescribed in JIS or other public standards) as compared to conventional material (industry or in-house standard products). The test method shall conform to JIS or other public standards, or in the event that the test method does not conform to any public standard, the test shall be conducted by a public third-party test institute.

With respect to Requirement “b,” submit a certificate stipulating the mass ratio of recycled material, etc. contained in the main material of uppers or soles as well as the following material certificate for recycled material, etc.

In the event that the material is textile, attach the material certificate issued by a spinning company. For non-bleaching, hydrogen peroxide bleaching, and ozone bleaching, report the chemicals used. To organically grown cotton, attach a certificate issued by an eligible institute of cotton production district and the invoice, packing list or delivery notice issued at the time of transaction.

In the event that the material is plastics or rubber, submit the material certificate issued by recycled material producers (recycled material collection traders, etc.).

In the event that the material is timber, submit the material certificate that states that the relevant material falls under any of recycled or unused timber or waste plant fibers, which is issued by material producers (timber producers, etc.). However, in the event that the number of material producers exceed 10 companies, it is allowed to submit the certificates of companies of top-ten material transaction volume.

In the event that timber from thinning is used for material, submit the certificate of production region which stipulates the production region, kind of trees, quantity, and planting year as well as photographs of applicable forest units (that indicate thinning has been carried out). Include thinning ratio, how many times of thinning, and other information as much as possible.

In the event that lower grade timber is used for material, submit a certificate that stipulates the following:

- Kind of forest (naturally regenerated forest, planted forest, etc.), producing region, and kind of trees. In the case of a planted forest, stipulate the planting year, too.
- Under what conditions (timber damaged by disease and insect pest, disaster-struck, bent or small-diameter, etc.) the timber was produced. With respect to small-diameter timber, report the forest

management operation method, small end diameter, etc.

In addition to this, in the event that the product falls under paragraph a or b prescribed by the definitions of terms of lower grade timber, submit documents that the forest was certified by a third party as a sustainable forest. The relevant forest certificate shall satisfy the requirements of the table below.

Table Forest certificate

Certificate criteria	Certificate shall keep balance between ecological and social benefits, agree to Agenda 21 and the Declaration of Forest Principle, and observe related international agreements and treaties.
	Certificate shall contain definite requirements and shall promote and be oriented to sustainable forest.
	Certificate shall be nationally or internationally recognized and shall be recommended as part of an open process to which ecological, economic, and social interested parties can participate.
Certificate system	The certification system shall provide high transparency, maintain extensive national or international reliability, and enable the verification of requirements.
Certification organization and association	Certification organization and association shall be highly impartial and reliable, allow them to be verified as to whether or not they satisfy requirements, report the verification results, and be able to effectively implement requirements.

In addition, if of the lower-grade timber, bamboo is used for material, submit a certificate stipulating the following, photographs or a map of the vicinity of the bamboo grove.

- Kind of bamboo, producing district, surrounding conditions, explanation that it is the felling for appropriate maintenance management for environmental preservation, management plan, and quantity.

In the case of any material which uses an Eco-Mark-certified product as an intermediate product, stipulating “brand name,” “certification No.,” and “type” of the relevant intermediate product in an attached certification form can be substituted for a material certificate.

(3) Formaldehyde of adhesives used for products shall be not more than 5

$\mu\text{g}/(\text{m}^2\cdot\text{h})$ diffusion speed or shall be equal to or less than the reference value of Table 3 of Section 2-1-2 (13). However, this item shall not apply to adhesives which do not use material that diffuses formaldehyde.

[Certification Procedure]

State all the adhesives used for the product in the Certificate for Adhesives Used and submit. In addition, submit a certification, MSDS, or other certificates, in which the test results prescribed in JIS or Ministerial Ordinance No. 34 of Ministry of Health, Labour, and Welfare are stipulated or that the adhesives contained in the product are equal to or less than the reference value (Class F☆☆☆☆, etc.) is stated. For the adhesives to which any material that diffuses formaldehyde is not added, submit a certificate issued by the adhesive manufacturer or the applicant stating that no such material is added.

- (4) In the event that water-based adhesives are used, the safety concerning antiseptics shall have been confirmed.

[Certification Procedure]

For water-based adhesives, submit a certificate as to the addition of antiseptics, which is issued by the adhesive manufacturer or the applicant. With respect to the antiseptics, submit a certificate such as MSDS, etc. and CAS registration No. that indicate the safety of the antiseptics.

- (5) Products that use natural rubber or metal (clasps, fasteners, ornament portions, etc., including plating) shall have information on latex allergy and metal allergy and type of the metal used stipulated on any of product hangtags, operating instructions, brochures, etc.

[Certification Procedure]

Submit the relevant portions which stipulate the above-mentioned information (copies or manuscripts are acceptable).

Statement example (natural rubber): "This product uses natural rubber. Depending on the constitution, itching, rashes, eruptions, and other symptoms may be caused. If any abnormality is felt, stop using the product."

Statement example (metal): "This product uses metal for ornament portions. Metal may cause itching, rashes, eruptions, and other symptoms depending on the constitution. If any abnormality is felt,

stop using the product (base material: brass; surface finish: nickel chrome plated).

- (6) In any of the product proper, product tag, operating instructions, brochures, etc., the following a through d shall be stipulated. By the way, shoes in which synthetic leather is used for uppers, rubber, synthetic resin, or a mixture of these and uppers and soles are pasted by adhesives shall conform to the Quality Labeling Standards for Sundries and Industrial Products of the Household Goods Labeling Law.
- a. Name of each material (upper material, outsole, sock lining, etc.)
 - b. Maintenance method and storage method (in particular, shoes with polyurethane used for outsole, stipulate “Polyurethane is used for the outsole. Polyurethane may be aged by moisture. Store in a well-ventilated location,” etc.)
 - c. Manufacturing date of shoes (where polyurethane is used for the outsole)
 - d. Stipulate one or more items of the following information in the vicinity of Eco Mark labeling so that the purport of being Eco-Mark-certified is identified (when Eco Mark is indicated).
 - Reduction of harmful substances (Ex. formaldehyde, heavy metals, and other harmful substances are reduced.)
 - Durability (Ex. Material twice as durable as our products is used for upper material and outsole.)
 - Use of recycled material, etc. (Ex. For outsoles, ○○ is used.)

[Certification Procedure]

Submit the applicable portions (copies or manuscripts are acceptable) that include the above-mentioned information.

- (7) The applicant must maintain and improve the system for using Eco Mark-certified products over a long period of time. For the system maintenance and improvement, the following requirements must be satisfied:
- Products must be repairable to restore their functions (repair, replacement of parts, etc.), and after discontinuance of production of applied products, at least for one year, the applicants must be able to repair the products at the request of users of applied products (excluding cases in which repair is impossible due to aging). In

addition, the applicants must provide such information to users.

- A replacement system of accessories is established. In addition, the applicants provide such information to users.

[Certification Procedure]

Submit operating instructions which provide the information on the foregoing to users and applicable portions of brochures, etc. (copies or manuscripts are acceptable).

- (8) Plastic material used for the products and product packaging (in this section, resin as fibers is included) shall not use halogen elements for the polymer structure as prescription constituents.

[Certification Procedure]

For plastic material used for products and packaging, stipulate use or no-use of halogen elements for the polymer structure in the attached certificate form.

- (9) Products shall conform to items of at least 10 points in Appendix 1 “Environment-Conscious Design Checklist.”

[Certification Procedure]

Stipulate conformance to this item in the attached certificate form. In addition, fill out necessary information in Appendix 1 “Environment-Conscious Design Checklist” and submit it together with necessary supporting data.

- (10) In manufacturing the applied product, related environmental laws and regulations and pollution control agreement (hereinafter referred to as the “Environmental Laws, etc.”) must be followed with respect to air pollution, water contamination, noise, offensive odor, and emission of hazardous substances in the area where the plant performing the final manufacturing process is located.

In addition, the state of compliance with the Environmental Laws, etc. for the past five years from the date of application (whether there is any violation) must be reported. If there is any violation, proper remedies and preventive measures shall have been already taken, and the related Environmental Laws, etc. must thereafter be followed appropriately.

[Certification Procedure]

With respect to the compliance with the Environmental Laws, etc. in

the area where the plant performing the final manufacturing process is located, a certificate issued by the representative of the business of manufacturing the applied product or the relevant plant manager (entry or attachment of a list of names of the Environmental Laws, etc.) must be submitted.

In addition, the applicants shall report whether there is any violation in the past five years, including a violation subject to administrative punishment or administrative guidance, and if there is, the following documents in a and b must be submitted:

- a. With respect to the fact of violation, guidance documents from administrative agencies (including order of correction and warning) and copies of written answers (including those reporting causes and results of correction) to such documents (clearly indicating a series of communication);
- b. Following materials (copies of recording documents, etc.) concerning the management system for compliance with the Environmental Laws, etc. in 1)-5):
 - 1) List of the Environmental Laws, etc. related to the area where the plant is located;
 - 2) Implementation system (organizational chart with roles, etc.);
 - 3) Bylaws stipulating retention of recording documents;
 - 4) Recurrence prevention measures (future preventive measures);
 - 5) State of implementation based on recurrence prevention measures (result of checking of the state of compliance, including the result of onsite inspection)..

2-1-2. Material Criteria and Certification Procedure

Each material for uppers, lining, and sock linings (products with no sock linings, insoles) shall satisfy the criteria concerning applicable material of the following A through C. However, surface areas in the relevant portion shall be totaled in descending order and the material that composes not less than 70% of the surface areas of the relevant portion shall be subject to the criteria. This shall not apply to small accessories such as buttons, strings, sewing thread, trimming, etc. Incidentally, to artificial leather and synthetic leather, the criteria concerning plastic material shall apply.

A. Textile material

(11) In the color material used for textile material, the dyestuff prescribed

in Appendix 2 shall not be added as prescription constituent ingredients. For textiles other than wool, chromium-based dyestuff shall not be added as prescription constituent ingredients.

[Certification Procedure]

Submit a dyeing certificate issued by a plant manager of the plant where textile material is dyed.

- (12) For textile material, conduct a minimum required processing (mildew proof, fluorescent whitening, softening, hygienic, product bleaching) and give thoroughgoing consideration to prevent over-processing. In addition, do not use any processing agent whose safety to human body is doubtful. However, fur products shall conform to MHLW Ordinance No. 34 on the processing using dieldrin and DTTB in addition to consideration to above-mentioned processing.

[Certification Procedure]

Submit a certificate issued by the textile material manufacturer or the applicant. If the textile material was subject to any processing, report the kind of processing agents and the quantity consumed in accordance with the attached certificate form. For fur products, state presence or absence of dieldrin and DTTB-used processing, and if they were subject to any processing, explain the conformance to MHLW Ministerial Ordinance No. 34.

- (13) The formaldehyde content of the textile material shall conform to the reference value of Table 3 for each target.

Table 3 Criteria of formaldehyde content

Substance name	Target			Test method
	Newborns (under 24 months)	Adult (skin contact*1)	Adult (others)	
Formaldehyde	Not more than 16 mg/kg	Not more than 75 mg/kg	Not more than 300 mg/kg	MHLW Ministerial Ordinance No. 34

*1...Members directly coming in contact with a foot

[Certification Procedure]

Submit test results by a third-party test institute or in-house test results with respect to the content of formaldehyde of textile material.

B. Plastic material (including artificial leather and synthetic leather material)

- (14) Plastic additives such as plasticizers, colorants, stabilizers, lubricants, and others used for plastic material and harmful substances of recycled plastic material shall conform to the reference values of heavy metals of Ministerial Notification No. 370 of Ministry of Health, Labour, and Welfare (standards of foods, additives, etc.), or others.

[Certification Procedure]

For plastic additives and recycled plastic material, submit the results of elution tests of cadmium, lead, mercury, and hexavalent chromium prescribed in MHLW Notification No. 370, ISO 8124-3 (corresponding standard: 88/378/EEC EN71-3) or EA Notification No. 46, which were conducted by a third-party test institute, etc. It is acceptable for the applicant to submit a certificate by plastic manufacturers or molders attesting that the material registered in the positive list prescribed by the industry's spontaneous criteria, etc. is used.

- (15) No specific chlorofluorocarbon (five kinds of CFC) set forth in Appendix 3, other CFCs, carbon tetrachloride, trichloroethane, and alternatives for chlorofluorocarbon (HCFC) shall be used when plastic material is manufactured.

[Certification Procedure]

Submit a certificate issued by plastic material manufacturer.

C. Rubber material

- (16) Harmful substances of rubber material shall conform to the heavy metal reference values of Ministerial Notification No. 370 of Ministry of Health, Labour, and Welfare (standards of foods, additives, etc.), or others.

[Certification Procedure]

Submit the results of elution tests of cadmium, lead, mercury, and hexavalent chromium prescribed in MHLW Notification No. 370, ISO 8124-3 (corresponding standard: 88/378/EEC EN71-3) or EA Notification No. 46, which were conducted by a third-party test institute, etc. However, in the event that the product does not use any post-consumer material and any applicable heavy metal is not added for every raw material as prescription constituent ingredients, for the heavy metal, a document that can evidence the conformance to the criteria by rubber material manufacturer or the applicant may be submitted.

2-2. Quality Criteria and Certification Procedures

(17) The product quality shall conform to the industry's or in-house quality criteria. Incidentally, with respect to the quality of high-heeled shoes, the heel strength (fixing strength, impact strength, etc.) is included as necessary items. "Safety shoes," "antistatic shoes," "chemical protection high boots," and "work shoes for protection from radioactive contamination" shall conform to the applicable Japanese Industrial Standard.

[Certification Procedure]

Present the applicable quality standard and quality criteria and submit a certificate that evidences the conformance to the standard and the criteria. In addition, submit a certificate issued by a plant manager or a quality control manager of the plant where the product is manufactured, stating that the quality control in the manufacturing stages is thoroughly implemented.

December 1, 2008	Established (Version1.0)
November 30, 2015	Validity Period

The Certification Criteria for the Product Category will be revised when necessary

Type name
Applicant



Appendix 1 Environment-conscious design checklist

Purpose	No.	Requirements	Achieved?	Points	Supporting material
Reduction of VOC of adhesives	1	Adhesives used for sewing the upper shall be water-based or hot-melt adhesives. Or double-faced adhesive tape, etc. are used and no adhesives are used.	Yes/No	1	Enter the name of adhesives used for upper sewing in the following parentheses. ()
	2	Adhesives used for bonding the upper and the sole shall be water-based or hot-melt adhesives.	Yes/No	2	Enter the name of adhesives used for bonding the upper to the sole. ()
	3	All adhesives free of any addition of toluene and xylene shall be used.	Yes/No	2	Adhesive Conformance Certificate
Promotion of long-term use and easy maintenance	4	No polyester-based polyurethane shall be used for the out sole. In addition, when polyurethane is used for the out sole, ether-based polyurethane or polyurethane improved to prevent hydrolysis shall be used.	Yes/No	2	Enter the certificate for material used. In the case of using polyurethane improved prevent hydrolysis, data, etc. that evidence the improvement.
	5	In products in which no polyurethane is used, shoe manufacturing date is indicated in any of the product proper, product label, product tab, etc.	Yes/No	2	Applicable portion where manufacturing date is stipulated (copies and manuscripts are acceptable).
	6	The applicant shall be in the system to disclose information on manufacturing date and production area for each member of a shoe at the request of consumers, etc.	Yes/No	1	Documents that explain the information disclosure system.
	7	Shoes with washable construction or material. Information on appropriate washing method (including drying method and precautions for peeling of sock lining, etc.) is provided.	Yes/No	1	Labeling portion with which it is possible to make sure information on the washing method is available.
	8	In the event that the applied product is washable, service to clean the shoes is provided by request, and at the same time, warranty is given against material deterioration and adhesion, and the information is provided, too.	Yes/No	3	Labeling portion with which it is possible to make sure a request for washing is met and information on providing warranty against deterioration and adhesion is available.
	9	The product shall have a construction that enables easy replacement of product portions, such as replacement of out soles (excluding replacement of accessories).	Yes/No	3	Documents that specifically explain that the product has a construction easy to replace components.
Resources saving	10	No ornamental components not related to functions such as stones, chains, beads, metal foils, etc. shall not be used.	Yes/No	1	Color photograph of the product (to be attached to Eco Mark Product Certification/Use Application).
	11	In the components of sole portions of the applied product, there are standardized components which are made by the same material and in the same shape, and used for other products (excluding accessories). Two points are given when the standardized other product is one article number and three points are given when the standardized other product is two or more article numbers.	Yes/No	2 or 3	Documents that specifically explain that the components of the sole of the applied product are standardized and are able to be used for other products.
	12	The paper material used for a one-pair shoebox contains not less than 70% recycled pulp compounding ratio.	Yes/No	1	None

	13	The paper material used for a one-pair shoebox does not undergo any processing unsuited for paper recycling after disposal, such as laminate coating, etc.	Yes/No	1	None
			Total	Point	* Ten points or more are judged "ACCEPTED."

Appendix 2

List of banned dyestuff (textiles)

- [1] Azo dyestuff that may decompose and generate the following carcinogenic aromatic amines (one or more following amines are detected at exceeding 30 mg per 1 kg of product by the analysis method prescribed by the collection of testing procedures containing all the Official Test Methods pursuant to Article 35 of the German Food and Consumer Goods Law).

Carcinogenicity rank (A1)			
92-67-1	4-Aminobiphenyl		C1(EU),1(NTP,IARC)
92-87-5	Benzidine		C1(EU),1(NTP,IARC)
95-69-2	4-Chloro- <i>o</i> -toluidine		2A(NTP,IARC)
91-59-8	2-Naphthylamine		C1(EU),1(NTP,IARC)
Carcinogenicity rank (A2)			
97-56-3	<i>o</i> -Aminoazotoluene		C2(EU), 2B(NTP,IARC)
99-55-8	2-Amino-4-nitrotoluene		3(NTP,IARC)
106-47-8	4-Chloroaniline		C2(EU), 2B(NTP,IARC)
615-05-4	2,4-Diaminoanisole		2B(NTP,IARC)
101-77-9	4,4'-Diaminodiphenylmethane		C2(EU), 2B(NTP,IARC)
91-94-1	3,3-Dichlorbenzidine		C2(EU), 2B(NTP,IARC)
119-90-4	<i>o</i> -Dianisidine; 3,3'-Dimethoxybenzidine		C2(EU), 2B(NTP,IARC)
119-93-7	<i>o</i> -Tolidine; 3,3'-Dimethylbenzidine		C2(EU), 2B(NTP,IARC)
838-88-0	4,4'-Diamino-3,3'-dimethyldiphenylmethane		C2(EU), 2B(NTP,IARC)
120-71-8	<i>p</i> -Cresidine		2B(NTP,IARC)
101-14-4	4,4'-Diamino-3,3'-dichlorodiphenylmethane		C2(EU), 2A(NTP,IARC)
101-80-4	4,4'-Diaminodiphenyl ether		2B(NTP,IARC)
139-65-1	4,4'-Diaminodiphenyl sulfide		2B(NTP,IARC)
95-53-4	<i>o</i> -Toluidine		C2(EU), 2B(NTP,IARC)
95-80-7	2,4-Diaminotoluene		C2(EU), 2B(NTP,IARC)
137-17-7	2,4,5-Trimethylaniline		
90-04-0	<i>o</i> -Anisidine		C2(EU), 2B(NTP,IARC)
95-68-1	2,4-Xylidine		3(NTP,IARC)
87-62-7	2,6-Xylidine		2B(NTP,IARC)
60-90-3	4-Aminoazobenzene		C2(EU)
[2] Carcinogenic dyestuff			
569-61-9	C.I. BASIC RED 9	CI 42500	C2(EU), 2B(NTP,IARC), Oeko-Tex
2475-45-8	C.I. DISPERSE BLUE 1	CI 64500	C2(EU), 2B(NTP,IARC), Oeko-Tex
3761-53-3	C.I. ACID RED 26	CI 16150	2B(NTP,IARC), Oeko-Tex
6459-94-5	C.I. ACID RED 114	CI 23635	2B(NTP,IARC)
2602-46-2	C.I. DIRECT BLUE 6	CI 22610	C2,R3(EU),2A(NTP,IARC), Oeko-Tex
1937-37-7	C.I. DIRECT BLACK 38	CI 30235	C2,R3(EU), 2A(NTP,IARC), Oeko-Tex
573-58-0	C.I. DIRECT RED 28	CI 22120	C2,R3(EU) , Oeko-Tex
2932-40-8	C.I. DISPERSE YELLOW 3	CI 11855	Oeko-Tex
[3] Dyestuff causing skin sensitization			
2475-46-9	C.I. DISPERSE BLUE 3	CI 61505	ETAD, Oeko-Tex
12222-75-2	C.I. DISPERSE BLUE 35		ETAD, Oeko-Tex
	C.I. DISPERSE BLUE 106		ETAD, Oeko-Tex
	C.I. DISPERSE BLUE 124		ETAD, Oeko-Tex
2832-40-8	C.I. DISPERSE YELLOW 3	CI 11855	ETAD, Oeko-Tex
730-40-5	C.I. DISPERSE ORANGE 3	CI 11005	ETAD, Oeko-Tex
	C.I. DISPERSE ORANGE 37		ETAD, Oeko-Tex

2872-52-8	C.I. DISPERSE RED 1	CI 11110	ETAD, Oeko-Tex
2475-45-8	C.I. DISPERSE BLUE 1	CI 64500	Oeko-Tex
3179-90-6	C.I. DISPERSE BLUE 7	CI 62500	Oeko-Tex
3860-63-7	C.I. DISPERSE BLUE 26	CI 63305	Oeko-Tex
	C.I. DISPERSE BLUE 102		Oeko-Tex
	C.I. DISPERSE ORANGE 1	CI 11080	Oeko-Tex
	C.I. DISPERSE ORANGE 76		Oeko-Tex
2872-48-2	C.I. DISPERSE RED 11	CI 62015	Oeko-Tex
	C.I. DISPERSE RED 17	CI 11210	Oeko-Tex
119-15-3	C.I. DISPERSE YELLOW 1	CI 10345	Oeko-Tex
	C.I. DISPERSE YELLOW 9	CI 10375	Oeko-Tex
	C.I. DISPERSE YELLOW 39		Oeko-Tex
	C.I. DISPERSE YELLOW 49		Oeko-Tex

Reference: International Agency for Research on
Cancer (IARC)

National Toxicology Program (NTP)
EU Directive 76/769/EC
EU Directive 2002/61/EC
Ecological and Toxicological Association
of Dyes and Organic Pigments
Manufacturers (ETAD)
Oeko-Tex Standard 100

Appendix 3

Specific chlorofluorocarbon (CFC5s)	Dichlorodifluoromethane
	Trichlorotrifluoroethane
	Dichlorotetrafluoroethane
	Chloropentafluoroethane
	Chlorotrifluoromethane
Other CFCs	Pentachlorofluoromethane
	Tetrachlorodifluoroethane
	Heptachlorofluoropropane
	Hexachlorodifluoropropane
	Pentachlorotrifluoropropane
	Tetrachlorotetrafluoropropane
	Trichloropentafluoropropane
	Dichlorohexafluoropropane
	Chloroheptafluoropropane
	Carbon Tetrachloride
	1,1,1-Trichloroethane
	Dichlorodifluoromethane
Alternatives for chlorofluorocarbon (HCFCs)	Dichlorofluoromethane
	Chlorodifluoromethane
	Chlorofluoroethane
	Tetrachlorofluoroethane
	Trichlorodifluoroethane
	Dichlorotrifluoroethane
	Chlorotetrafluoroethane
	Trichlorofluoroethane
	Dichlorodifluoroethane
	Chlorotrifluoroethane
	Dichlorofluoroethane
	Chlorodifluoroethane
	Chlorofluoroethane
	Hexachlorofluoropropane
	Pentachlorodifluoropropane
	Tetrachlorotrifluoropropane
	Trichlorotetrafluoropropane
	Dichloropentafluoropropane
	Chlorohexafluoropropane
	Pentachlorofluoropropane
	Tetrachlorodifluoropropane
	Trichlorotrifluoropropane
	Dichlorotetrafluoropropane
	Chloropentafluoropropane
	Tetrachlorofluoropropane
	Trichlorodifluoropropane
	Dichlorotrifluoropropane
	Chlorotetrafluoropropane
	Trichlorofluoropropane
	Dichlorodifluoropropane
	Chlorotrifluoropropane
	Dichlorofluoropropane
	Chlorodifluoropropane
Chlorofluoropropane	

Appendix 4 Classification of applicable products (according to standard commodity classification for Japan)

Medium	Commodity item name					Classification A through C in Eco Mark Product Category No. 143 "Shoes and Footwear"
80 Footwear	801 Leather shoes (excluding sports shoes)	8011 General leather shoes	80111 Men's leather shoes	801111 Full leather shoes		A Thongs are Category C
				801112 Shoes with leather uppers and other material soles		
				801119 Other men's leather shoes		
			80112 Women's leather shoes	801121 Full leather shoes		
				801122 Shoes with leather uppers and other material soles		
				801129 Other women's leather shoes		
			80113 Babies and children leather shoes	801131 Children leather shoes	8011311 Full leather shoes	
					8011312 Shoes with leather uppers and other material soles	
					8011319 Other children leather shoes	
				801132 Babies shoes (size ranges from 10.5 to 14)	8011321 Full leather shoes	
					8011322 Shoes with leather uppers and other material soles	
					8011329 Other babies leather shoes	
		80119 Other general leather shoes				
		8012 Work leather shoes	80121 Full leather shoes			
			80122 Shoes with leather uppers and other material soles			
			80129 Other work leather shoes			

		8019 Other leather shoes (excluding sports shoes)				
802 Rubber footwear (size is same as leather shoes except full-rubber flip-flops and thongs. Excluding sports shoes)	8021 Workman's split-toed heavy-cloth shoes					C
	8022 rubber-soled cloth shoes	80221 General rubber-soled heavy-cloth shoes				B
		80229 Other rubber-soled heavy-cloth shoes				
	8023 Full rubber shoes	80231 High boots and rainboots				
		80232 Low quarter shoes and slippers				
		80239 Other full rubber shoes				
	8024 Full rubber flip-flops and thongs	80241 Full-rubber flip-flops				C
		80242 Full-rubber thongs				
	8029 Other rubber footwear (size is same as leather shoes except full-rubber flip-flops and thongs. Excluding sports shoes)					B
	803 Plastic footwear (excluding sports shoes)	8031 Plastic footwear (paste type)	80311 General plastic shoes (size is same as leather shoes)	803111 Men's shoes	8031111 Full-plastic shoes	
				8031112 Shoes with plastic uppers and other material soles		
				8031119 Other men's shoes		
803112 Women's shoes				8031121 Full-plastic shoes		
				8031122 Shoes with plastic uppers and other material soles		
				8031129 Other women's shoes		
803113 Babies and				8031131 Full-plastic shoes		

				children shoes	8031132 Shoes with plastic uppers and other material soles		
					8031139 Other babies and children shoes		
		80312 Plastic thong				C	
		80319 Other plastic footwear (paste type)				B	
	8032 Plastic footwear (injection molding type)	80321 Shoes with plastic soles and cloth uppers (size is same as leather shoes)	803211 General shoes				
			803219 Other shoes with plastic soles and cloth uppers				
			80322 Shoes with plastic soles and plastic uppers (size is same as leather shoes)	803221 General shoes			
				803229 Other shoes with plastic soles and plastic uppers			
			80323 Full-plastic shoes	803231 High boots and rainboots			
				803232 Low quarter shoes and slippers			
				803233 Other plastic shoes			
		80329 Other plastic footwear (injection molding type)				B	
		8039 Other plastic footwear (excluding sport shoes)					
804 Sport shoes	8041 Spike shoes and similarly regarded shoes	80411 Athletic sport shoes				A or B	
		80412 Golf shoes					
		80413 Baseball shoes					
		80414 Rugby shoes					
		80415 Soccer shoes					
		80416 Football shoes					
		80419 Other spike shoes and similarly regarded shoes					
	8042 Flat-soled	80421 Volleyball shoes					

		sport shoes	80422 Basketball shoes			
			80423 Tennis shoes			
			80424 Bowling shoes			
			80425 Dance shoes			
			80426 Sailing shoes			
			80427 Gateball shoes			
			80428 Gym shoes			
			80429 Other flat-soled sport shoes			
		8043 Special sport shoes	80431 Ice skates			
			80432 Roller skates			
			80433 Ski boots			
			80434 Mountain climbing shoes			
			80435 Riding boots			
			80439 Other special sport shoes			
		8049 Other sport shoes				
	805 Japanese footwear	8051 Getas (wooden clogs)	80511 Men's wooden clogs			C
			80512 Women's wooden clogs			
			80513 Children's wooden clogs			
			80519 Other wooden clogs			
		8052 Japanese sandals	80521 Men's Japanese sandals			C
			80522 Women's Japanese sandals			
			80523 Children's Japanese sandals			
			80529 Other Japanese sandals			
		8059 Other Japanese footwear				
	806 Home flip-flops (excluding rubber flip-flops)					

	809 Other footwear					
--	--------------------------	--	--	--	--	--