

Eco Mark Product Category No.104

“Household Textile Products Version2.10” Certification Criteria

—Applicable Scope—

| |
|---|
| Floor coverings (excluding tile flooring) |
| Beddings |
| Kotatsu quilts, sitting cushions and cushions |
| Curtains and draperies |
| Table cloth, napkins and related articles |
| Chair covers and "zabuton" covers |
| Towels, bath mats and related articles |
| Mosquito nets |
| Other household textile articles |
| Handkerchiefs |
| Neckwear (except fur) |
| Suspenders, hose supporters, armbands, belts for apparel, buckles, collars and cuffs |
| Accessories of Japanese clothings |
| Umbrellas and sticks |
| "Sensu" and "uchiwa"(Japanese fans) |
| Other apparel accessories (diaper, apron, leggings, etc.) |
| Toys and dolls (stuffed animals, and other cloth toys, etc.) |
| Living and cultural supplies, etc. *tent |
| Yarns |
| Processed yarn |
| Woven fabrics, 50cm or more in width |
| Woven fabrics, 13cm or more, less than 50cm in width |
| Woven fabrics, less than 13cm in width |
| Knit fabrics |
| Lace fabrics or non-woven fabrics (excluding un-woven fabrics and felt) |
| Other fabricated basic textiles (coated or water-proof fabrics, hats, strings, lace, fringes, etc.) |

Established: June 20, 2003
Expiration date: March 31, 2020

Japan Environment Association
Eco Mark Office

NOTE: This document is a translation of the criteria written in Japanese. In the event of dispute, the original document should be taken as authoritative.

Eco Mark Product Category No.104

“Household Textile Products Version2.10” Certification Criteria

Japan Environment Association
Eco Mark Office

1. Purpose of Establishing Certification Criteria

Since the establishment of Product Category No.104 “Household Textile Products Using Recycled PET Resin” in 1997, the number of certified products has increased sharply.

This Eco Mark Product Category was reviewed in accordance with the life cycle concept incorporated by the Eco Mark Program in 1996 for the purposes of: including the development of a system for using, collecting, and recycling clothing made of recyclable textiles in the criteria, in addition to recyclable PET resins, thereby placing the point of focus from textiles to recycling for textiles; and also promoting the smooth development of a recycling-oriented society by the spread of recycled products.

Various chemical substances such as dyes and bleach are used on clothing products. Existing criteria of this Product Category have been recommending unbleached products, dye-free products, and products dyed by natural colors such as plant derivatives to reduce the use of chemicals. Considering the relationships between dyes and our health or the environment, however, special attention should be paid to processing agents such as formaldehyde. Therefore, review was made in terms of the handling of chemical substances in addition to the efficient use of resources.

2. Applicable Scope

Cloth products and textile products shown in Table 1 of the categories: “Household Textile Articles”, “Apparel accessories”, “Footwear”, Tents of “Living and cultural supplies, etc.” “Entertainment devices and toys and dolls among Toys (stuffed animal, other cloth toys, etc.), and cloth and fabric products of “Fabricated Basic Textiles” listed in the “Japan Standard Commodity Classification” issued by the Ministry of Public Management, Home Affairs, Posts and Telecommunications, excluding feather “Beddings”, “Kotatsu quilts, sitting cushions and cushions”, leather products, “Furs”, non-woven fabrics of “Lace fabrics or non-woven fabrics” , nets, fences and ropes of “Other fabricated basic textiles”, and knit fabrics.

Eco Mark Product Category No.4 “Filter Bags for Kitchen Disposal”, Product Category No. 5 “Absorbents for Used Cooking Oil”, and Product Category No. 121 “Returnable Containers/Packaging Materials” and other product categories are classified according to function. Fabrics of these categories are managed by their respective criteria.

| |
|---|
| Category A : Household textile articles |
| Floor coverings (excluding tile flooring) |
| Beddings |
| Kotatsu quilts, sitting cushions and cushions |
| Curtains and draperies |
| Table cloth, napkins and related articles |
| Chair covers and "zabuton" covers |
| Towels, bath mats and related articles |
| Mosquito nets |
| Other household textile articles |
| Category B : Apparel accessories |
| Handkerchiefs |
| Neckwear (except fur) |
| Suspenders, hose supporters, armbands, belts for apparel, buckles, collars and cuffs |
| Accessories of Japanese clothings |
| "Fukuromono"(pouch) (Since August 27, 2007, the article has been covered by Eco Mark Product Category No.101 "Bags and Suitcases".) |
| Luggages and bags (Since August 27, 2007, the article has been covered by Eco Mark Product Category No.101 "Bags and Suitcases".) |
| Umbrellas and sticks |
| "Sensu" and "uchiwa"(Japanese fans) |
| Other apparel accessories (diaper, apron, leggings, etc.) |
| Category A.: Entertainment devices and toys |
| Toys and dolls (stuffed animals, and other cloth toys, etc.) |
| Category C.: Other living and cultural supplies |
| Living and cultural supplies, etc. *tent |
| Category D : Fabricated basic textiles |
| Yarns |
| Processed yarn |
| Woven fabrics, 50cm or more in width |
| Woven fabrics, 13cm or more, less than 50cm in width |
| Woven fabrics, less than 13cm in width |
| Knit fabrics |
| Lace fabrics or non-woven fabrics (excluding un-woven fabrics and felt) |
| Other fabricated basic textiles (coated or water-proof fabrics, hats, strings, lace, fringes, etc.) |

3. Terminology

| | |
|-----------------------|---|
| Recycling | Material recycling. Herein, the term shall include chemically recycled fibers. Energy recovery (thermal recycling) shall not be included |
| Pre-consumer material | Waste diverted from the waste stream in the manufacturing process of high polymer products and synthetic fiber fabrics. However, this excludes wastes that are recycled in the same |

| | |
|---------------------------|--|
| | process (plant) |
| Post-consumer material | PET bottles and other synthetic high polymer products as well as synthetic fiber fabrics, which are products disposed after use. This include used packaging material |
| Unused fibers | Fibers consisting of cotton linter, staples produced during spinning, etc |
| Cotton linter | Short cotton linters that start to protrude from the plant four to twelve days after flowering. |
| Waste plant fiber | Fiber made from agricultural residue (such as stalks that are usually disposed, etc.) generated in harvesting and manufacturing process of crop. |
| Recycled fibers | Recovered fibers, recycled polymer fibers, or chemically recycled fibers. However, this includes fiber directly twisted from lint, cut lint, used clothing, etc., skipping the recovered fiber process. Products using them include tuft carpets directly twisted from non-woven fabric, sakiori, which is split-woven fabric made by splitting old rags into fibers, and weaving them, etc. (as of October 2005). |
| Recovered fibers | Fiber consisting of recovered wool materials including lint from spinning plants, cut lint from clothing plants, and used clothing, etc. (Here, sakiori (split-woven fabric), etc. are included.) |
| Recycled polymer fiber: | Fibers made of recycled resins using recovered flakes, or pellets, etc. of post-consumer and pre-consumer materials. |
| Chemically recycled fiber | Fibers consisting of polymers obtained through polymerization using monomers as raw materials that are obtained by depolymerizing used nylon or polyester products and pre-consumer materials |
| Recycled cloth | Faulty cloths found during inspection and cloths cut from used clothes and used cloths. |
| Ozone bleaching | A method for scouring and bleaching chemical fibers by applying oxidation bleaching action of ozone and having ozone react with fibers at lower temperatures than usual bleaching method. |

4. Certification Criteria and Certification Procedure

4-1. Environmental Criteria and Certification Procedure

(1) For neckwear, accessories of Japanese clothings, bag cargo and bags, leather shall be 20% or less (in mass rate) of the entire product. Additionally, 50% or higher of the outer area excluding handles or other accessories shall be fibers.

[Certification Procedure]

For neckwear, accessories of Japanese clothings, bag cargo, and bags, the mass rate of leather and the percentage of the fiber to the outer area excluding handles or other accessories shall be specifically indicated in the Attached Certificate.

(2) The product shall meet either one of the following requirements: a, b, c, or d.

a. The mass rate of unused fibers, recycled fibers or waste plant fibers in the total

mass of the entire product (which shall be of the mass of fiber portions for Category A “Household textile articles, Entertainment devices and toys” and Category B “Apparel accessories” excluding small accessories such as buttons, zips, hooks and threads) shall meet the Standard Content Rate shown in Table 2. For products that fall under Category B “Apparel accessories”, the mass rate of unused fibers, recycled fibers or waste plant fibers in the total mass of surface texture shall meet the Standard Content rate shown in Table 3. In addition, small accessories using recycled materials may be included in the Standard Content Rate as the total mass rate of the entire product and the mass rate of the recycled fibers. In addition, small accessories using recycled materials may be included in the Standard Content Rate as the total mass rate of the entire product and the mass rate of the recycled fibers. However, any product to which Table 1 is applicable shall meet each Standard Content Rate.

Table 1. Standard Content Rate of individual product

| Applicable products | Standard content rate |
|--|---|
| bedclothes, coverlet for “kotatsu”, sitting cushions, cushions and stuffed toys and other cloth toys | For side textures, the mass rate of unused fibers, recycled fibers or waste plant fibers in the total mass of the side textures shall meet the standard content rate shown in Table 2. For the inner cotton, the content rate of unused fibers, recycled fibers or waste plant fibers in the total mass of the inner cotton shall be 50% or over (mass rate). |
| floor coverings | The mass rate of unused fibers and recycled fibers in the total mass of the entire product (total mass comprised of mass of fiber portions added with resin portions and inorganic substances) shall be 35% or over (not applied to waste plant fibers). In addition, the mass rate of unused fibers, recycled fibers or waste plant fibers in the total mass of the fiber portions shall satisfy the standard content rate shown in Table 2. |
| umbrella | The mass rate of unused fibers and recycled fibers in the total mass of the entire product (total mass comprised of mass of fiber portions added with resin portions and inorganic substances) shall be 20% or over (not applied to waste plant fibers). In addition, the mass rate of unused fibers, recycled fibers or waste plant fibers in the total mass of the fiber portions shall satisfy the standard content rate shown in Table 3. |

Table 2. Standard Content Rate of Fiber to Total Mass of Entire Product

| Type of Fiber | Standard Content Rate | | |
|-------------------|--|-------------|---|
| Unused fibers | 10% or over <ul style="list-style-type: none"> Standard content rate of products using Cupra fibers shall be 70% or over. Standard content rate of blankets shall be 70% or over and may include recovered fibers. | | |
| Recycled fibers | Recovered fibers | 10% or over | <ul style="list-style-type: none"> Standard content rate of blankets shall be 70% or over and may include unused fibers. |
| | Recycled polymer fibers | 50% or over | For resin content, Recycled PET, recycled PE, Recycled PP, and other resin shall be 50% or over. |
| | Chemically recycled fiber | 50% or over | Recycled monomer content shall be 50% or over. |
| | If recycled polymer fibers and chemically recycled fibers are used in combination, the content rate according to the following formula shall satisfy the standard rate of 50%: $(A \times B + C \times D) / 100$ A = Weight percentage of chemically recycled fibers in the entire product B = Content rate of recycled monomers in the chemically recycled fiber C = Weight percentage of recycled polymer fibers in the entire product D = Content rate of recycled resins in the recycled polymer fiber | | |
| | Others Fiber directly twisted from lint, cut lint, used clothing, etc., skipping the recovered fiber process | 50% or over | |
| Waste plant fiber | 10% or over | | |

Table 3. Standard Content Rate of Fiber to Total Mass of Surface Texture

| Type of Fiber | Standard Content Rate | | |
|-------------------|--|-------------|--|
| Unused fibers | 10% or over Standard content rate of products using Cupra fibers shall be 70% or over. | | |
| Recycled fibers | Recovered fibers | 10% or over | |
| | Recycled polymer fibers | 60% or over | For resin content, recycled PET, recycled PE, or recycled PP, etc. shall be 60% or over. |
| | Chemically recycled fibers | 60% or over | Recycled monomer content shall be 50% or over. |
| | <p>If recycled polymer fibers and chemically recycled fibers are used in combination, the content rate according to the following formula shall satisfy above the standard content rate of 60%</p> $(A \times B + C \times D) / 100$ <p>A = Weight percentage of chemically recycled fibers in the entire product B = Content rate of recycled monomers in the chemically recycled fiber C = Weight percentage of recycled polymer fibers in the entire product D = Content rate of recycled resins in the recycled polymer fiber</p> | | |
| Waste plant fiber | 10% or over | | |

b. The fiber portion of products shall be made of 100% cotton (excluding buttons, zippers, hooks, thread and other small accessories, and polyurethane fibers (rubber thread) which are knitted with less than 10% of the total mass of the product etc. At the same time, the fiber portion shall be made of unbleached, hydrogen peroxide bleached or ozone bleached cotton without using florescent whitener. In addition, medicinal substances that can be used in non-bleaching and hydrogen peroxide bleaching shall be listed as follows. In ozone bleaching, use of medicinal substances shall be restricted to the minimum necessary, and overuse should be avoided.

Table List of Medicinal Substances That Can be Used in Finish Processing Process

| | | |
|---|-----------------------|--|
| Hydrogen Peroxide Bleaching (Scouring and bleaching are in a same process.) | 1. Without Starching | Usable: Hot liquid/citric acid, acetic acid/salt/enzyme (protease, lipase, amylase, cellulase, etc.)/negative and positive nonionic activators that have low impact and are biodegradable/gluconic acid soda, other organic chelators |
| | 2. Scouring/Bleaching | Usable: Hot liquid/enzyme (protease, lipase, amylase, cellulase, etc.)/citric acid, acetic acid/ negative and positive nonionic activators that have low impact and are biodegradable/gluconic acid soda, other organic chelators Calcined soda/hydrogen peroxide of 1.5% or lower (as fineness). Note, however, that removal should be done by enzyme or hot liquid, citric acid, and acetic acid and that no residue should remain in final fabric. |
| Unbleached (Scouring/bleaching are in different processes.) | 1. Without Starching | Not stipulated. |
| | 2. Scouring | Bleaching should not be performed. Usable in scouring: Hot liquid/enzyme (protease, lipase, amylase, cellulase, etc.)/citric acid, acetic acid/ negative and positive nonionic activators that have low impact and are biodegradable/gluconic acid soda, other organic chelators |

c. The fiber portion of products shall be made of 100% natural fibers such as cotton, (excluding buttons, zips, hooks, thread and other small accessories and polyurethane fibers (rubber thread) which are knitted with less than 10% of the total mass of the product etc). At the same time, products shall be organically grown material.

d. Products shall be recovered and recycled after use. The applicant shall have a mechanism for collecting and recycling unwanted used products. Portions of products that cannot be recycled shall be subject to energy recovery by an eco-friendly method. In addition, the product body shall carry indication that it will be recovered and recycled, and contact information, if a user requests for recovery. If the information can be easily disseminated because a sale destination is specified, etc., the indication in a catalog or web page, etc., may replace this requirement.

However, any product that falls under Category D “Japanese clothings” may be a used product whose recovery and reuse is intended.

[Certification Procedure]

For the options a, b, and c, a raw material certificate issued by a spinning company shall be submitted (For b, used medicinal substances shall be reported. In the case of ozone bleaching, used amount of medicinal substances shall also be reported. For c, a certification issued by a qualified organization at a place of cotton production and an invoice, packing list, or delivery slip to be issued when a transaction is made shall be attached. Refer to Interpretation A-8.) However, if an eco-mark certified product is used as clothing fabric, a description of a “brand name”, “certification number” and “type” of the clothing fabric in the attached certificate can replace a raw material certificate.

For floor coverings, in addition to the above, mass of floor coverings, mass of fiber portions, and mass of unused fibers, recycled fibers or waste plant fibers shall be specifically indicated in the Attached Certificate.

For umbrella, in addition to the above, mass of product, mass of fiber portions, and mass of unused fibers, recycled fibers or waste plant fibers shall be specifically indicated in the Attached Certificate.

For the option d, as a justification that the system for collection, recycling or energy collection in harmony with the environment, which are provided on a separate sheet, has been established (collection system, treatment capacity, description of treatment, product design that makes recycling easy, etc.), a copy of certification document issued by Extended authorization system shall be submitted. In addition, an indication for publicizing collection shall be submitted (indication of environment information in the lower part of the eco mark, name of a contractor who uses the eco mark, indication of a certification number, etc.).

- (3) In manufacturing the applied product, related environmental laws and regulations and pollution control agreement (hereinafter referred to as the “Environmental Laws, etc.”) must be followed with respect to air pollution, water contamination, noise, offensive odor, and emission of hazardous substances in the area where the plant performing the final manufacturing process is located.

In addition, the state of compliance with the Environmental Laws, etc. for the past five years from the date of application (whether there is any violation) must be reported. If there is any violation, proper remedies and preventive measures shall have been already taken, and the related Environmental Laws, etc. must thereafter be followed appropriately.

[Certification Procedure]

With respect to the compliance with the Environmental Laws, etc. in the area where the plant performing the final manufacturing process is located, a certificate issued by the representative of the business of manufacturing the applied product or the relevant plant manager (entry or attachment of a list of names of the Environmental Laws, etc.) must be submitted.

In addition, the applicants shall report whether there is any violation in the past five years, including a violation subject to administrative punishment or administrative guidance, and if there is, the following documents in a and b must be submitted:

- a. With respect to the fact of violation, guidance documents from administrative agencies (including order of correction and warning) and copies of written answers (including those reporting causes and results of correction) to such documents (clearly indicating a series of communication);

- b. Following materials (copies of recording documents, etc.) concerning the management system for compliance with the Environmental Laws, etc. in 1)-5):
- 1) List of the Environmental Laws, etc. related to the area where the plant is located;
 - 2) Implementation system (organizational chart with roles, etc.);
 - 3) Bylaws stipulating retention of recording documents;
 - 4) Recurrence prevention measures (future preventive measures);
 - 5) State of implementation based on recurrence prevention measures (result of checking of the state of compliance, including the result of onsite inspection).

- (4) Adequate consideration shall be given so that various processing of products (mildew proofing, fluorescent whitening, flame retarding, softening, sanitation, antimicrobial finishing, product bleaching) is limited to a necessity minimum, products will not be subjected to excessive processing, and that use of any processing agent that is suspected to affect safety to human body should be refrained voluntarily. In addition to the above consideration to processing, wool products shall also conform to Ordinance No. 34 of the Ministry of Health and Welfare on use and processing of dieldrin/DTTB (30ppm or lower) (Refer to Exhibit 1.). In addition, the product shall have no flame retardant of Polybrominated biphenyl (PBB), Polybrominated diphenylether (PBDE) or short-chain chlorinated paraffin (the number of chained C is 10 to 13 and contained chloride concentration is 50% or over). In the case of use antibacterial agents, the product shall be certified by such as the SEK Mark of Japan Textile Evaluation Technology Council or the SIAA Mark of Society of Industrial technology for Antimicrobial Articles

[Certification Procedure]

Whether or not a product has been processed shall be indicated in the Attached Certificate. If it has been processed, according to the Attached Certificate, a type(s) of and used amount of a processing agent(s), etc. shall be reported. For wool products, use of or processing with dieldrin/DTTB shall be described. If the product has been processed, conformance with Ordinance No. 34 of the Ministry of Health and Welfare should be explained. In the case of using antimicrobial agents, documents certifying SEK Mark of Japan Textile Evaluation Technology Council, etc. shall be submitted.

- (5) The content of formaldehyde in a product shall conform to a standard value of the table by target product. This item is not applied to products installed outdoors.

| Name of substance | Target products | | | Test method |
|-------------------|---|--|--|--|
| | for infants (under 24 months old) diapers, etc. | Products likely to touch the skin (beddings, towels, and fabricated basic textiles for inner wear and underwear) | Other products (curtains, carpets, aprons, etc.) | |
| Formaldehyde | Not detected (16ppm or lower) | 75ppm or lower | 300ppm or lower | Ordinance No. 34 of the Ministry of Health and Welfare |

[Certification Procedure]

For content of formaldehyde in a product, test result by a third-party testing organization or an applying company itself shall be submitted.

- (6) For a dye to be used in a product, dyes defined in (1), (2), and (3) of the appendix 1 shall not be added as a prescription constituent. For any fiber other than sheep wool, a chromium series dye shall not be added as a prescription constituent.

[Certification Procedure]

A certificate issued by the manager of the plant where products are dyed shall be submitted.

- (7) Products shall not use resins made of halogens. (This item applies to resin fibers and post-processes and does not apply to coloring materials and fluorine-based additives). However, this item is not applied to floor coverings and blanket.

[Certification Procedure]

Whether resins made of halogens are used shall be indicated in the Eco Mark Certification and Usage Application Form.

- (8) Packaging material shall have features such as being energy-saving (simple, lightweight), repeatedly reusable, easy to recycle, easy to separate different materials, and material labeling.

[Certification Procedure]

The product packaging state and packaging material used shall be indicated specifically in the attached certificate. (Drawings and photographs can be used in the description.)

- (9) Products shall not be disposable. Diapers shall be repeatedly usable by cleaning, even after it is used once. Bags shall replace any plastic bags to be offered during shopping, and be repeatedly usable.

[Certification Procedure]

Whether the product pertains to the disposable product specified in Interpretation D-1 shall be described specifically in the attached certificate.

4-2. Quality Criteria and Certification Procedure

- (10) The product quality shall conform to the relevant JIS or obey any internal standard. In addition, the product shall be subjected to adequate quality control in the manufacturing stage.

Towels shall have passed the certification of Japan Towel Inspection Foundation.

Tents shall conform to CPSA100 established by Consumer Product Safety Association.

Toys and dolls shall conform to “Toy Safety Standard (ST2002)” established by the Japan Toy Association.

[Certification Procedure]

Certificates of compliance with the corresponding quality criteria shall be submitted. At the same time, certificates issued by the quality control manager of the product certifying that quality control was adequately implemented in the manufacturing stage.

5. Product Classification, Indication and Others

(1) Product shall be classified by brand name and by a, b, c or d prescribed in 4-1.(1).

For products classified in a and have multiple models are taken as the same product classification if a difference in fiber content rate calculated using Table 2 or Table 3 is 20% or less. Products whose fiber content rate was calculated using Table 2 cannot be applied for with products whose fiber content rate was calculated using Table 3.

Regarding curtains and towels of the household textile articles, products of the same quality, etc. but with different brand names can be taken as the same product.

(2) The information below the mark shall be indicated as defined in Appendix 2. The environmental information indicated shall be consisted of one or two lines and enclosed in a rectangular box. XX% can be adjusted by setting a reference value as a lower limit. However, the indication of Eco Mark and certification information (Type B indication) can be allowed by following “Guide to Eco Mark usage” (enforced on March 1, 2011). The location and details of the Eco Mark to be indicated shall be submitted when applying for Eco Mark product certification and use.

-- omitted --

Established: June 20, 2003 (Version2.0)

Revised: July 1, 2004 (Version2.1)

Revised: May 13, 2005 (Version2.2)

Revised: October 28, 2005 (Version2.3)

Revised: April 28, 2006 (Version2.4)

Revised: October 19, 2006 (Version2.5)

Revised: June 20 28, 2008 (Version2.6)

Revised: August 21 28, 2008 (Version2.7)

Revised: January 1, 2011 (Version2.8)

Revised: March 1, 2011 (Version2.9)

Revised: July 13, 2012 (Version2.10)

Extension of Expiration date: February 1, 2014

Expiration Date: March 31, 2020

The Certification Criteria for the Product Category will be revised when necessary.

Appendix 1

Criteria on Chemical Substances in Textile Products

The chemical substances listed below shall meet the conditions indicated under standard value for all concerned products.

For chemicals falling under No. 1, if the product is mildewproof-finished, the agent used for finishing shall be specified. For formaldehyde under No. 2, the results of the test for each different fabric prescribed by Ordinance No. 34 of the former Ministry of Health and Welfare (MHW) shall be submitted. For chemicals under No. 3, wool products require the submission of documents certifying compliance with MHW Ordinance No. 34 of the concerned product. For substances given in Ref. No. 4, the fact of whether flame proofing is applied shall be stated; for flame proof products, the agents used shall be stated, or a certification shall be submitted verifying that the products are flame retardant goods or flame retardant products.

| No. | Name | Standard value | Test Method | Concerned Products |
|-----|---|-----------------------|----------------------|--|
| 1 | Organic mercury compound Triphenyltin compound Tributyltin compound | Shall not be detected | MHW Ordinance No. 34 | All products |
| 2 | Formaldehyde | Shall not be detected | MHW Ordinance No. 34 | Products for infants (under 24 months old), diapers, etc. |
| | | 75 ppm or less | | Products likely to touch the skin (beddings, towels, and fabricated basic textiles for inner wear and underwear) |
| | | 300 ppm or less | | Other products (not applied to products installed outdoors) |
| 3 | Dieldrin DTTB | 30 ppm or less | MHW Ordinance No. 34 | All products |
| 4 | APO TDBPP Bis (2,3-dibromopropyl) phosphate compound | Shall not be detected | MHW Ordinance No. 34 | All products |

Source: Law for the Control of Household Goods Containing Harmful Substances

The following processes shall meet the conditions given under Precautions during Processing.

| Processing | Precautions during Processing |
|-----------------------|--|
| Flame proof finishing | Minimize flame proof finishing to ensure that the finishing is not done excessively. |
| Softening | |
| Sanitization | Voluntarily refrain from use of agents whose safety to the human body is suspected. |

| | |
|-------------------|---|
| Product bleaching | In planning bleached products, ensure their safety first. |
|-------------------|---|

Source: Notice No. 569, 1972, Director-General of the Fiber and Goods Bureau, MITI

Notice No. 289, 1973, Director-General of the Consumer Goods Industries Bureau, MITI

Notice No. 226, 1988, Director-General of the Consumer Goods Industries Bureau, MITI

The following dyes of lists (1), (2), and (3) shall not be included in products as prescribed constituents.

Fabrics other than wool shall not include chrome dyes as prescribed constituents.

- (1) Azo Dyes which may generate the following carcinogenic amines in degradation
(Products detected with over 30 mg/product kg of more than one of the following amines using analysis methods prescribed in the List of Public Test Methods based on Article 35 of the German Food and Commodities Law)

| Carcinogenicity Rank (A1) | | |
|---------------------------|---|------------------------|
| 92-67-1 | 4-aminobiphenyl | C1 (EU), 1(NTP, IARC) |
| 92-87-5 | Benzedrine | C1 (EU), 1(NTP, IARC) |
| 95-69-2 | 4-chloro-o-toluidine | 2A(NTP, IARC) |
| 91-59-8 | 2-naphthylamine | C1 (EU), 1(NTP, IARC) |
| Carcinogenicity Rank (A2) | | |
| 97-56-3 | o-aminoazotoluene | C2 (EU), 2B(NTP, IARC) |
| 99-55-8 | 2-amino-4-nitrotoluene | 3(NTP, IARC) |
| 106-47-8 | 4-chloroaniline | C2 (EU), 2B(NTP, IARC) |
| 615-05-4 | 2,4-diaminoanisole | 2B(NTP, IARC) |
| 101-77-9 | 4,4'-diaminodiphenylmethane | C2 (EU), 2B(NTP, IARC) |
| 91-94-1 | 3,3'-dichlorbenzidine | C2 (EU), 2B(NTP, IARC) |
| 119-90-4 | o-dianisidine; 3,3'-Dimethoxybenzidine | C2 (EU), 2B(NTP, IARC) |
| 119-93-7 | o-tolidine; 3,3'-Dimethylbenzidine | C2 (EU), 2B(NTP, IARC) |
| 838-88-0 | 4,4'-diamino-3,3'-dimethyldiphenylmethane | C2 (EU), 2B(NTP, IARC) |
| 120-71-8 | p-cresidine | 2B(NTP, IARC) |
| 101-14-4 | 4,4'-diamino-3,3'-dichlorodiphenylmethane | C2 (EU), 2A(NTP, IARC) |
| 101-80-4 | 4,4'-diaminodiphenylether | 2B(NTP, IARC) |
| 139-65-1 | 4,4'-diaminodiphenylsulfide | 2B(NTP, IARC) |
| 95-53-4 | o-toluidine | C2 (EU), 2B(NTP, IARC) |
| 95-80-7 | 2,4-diaminotoluene | C2 (EU), 2B(NTP, IARC) |
| 137-17-7 | 2,4,5-trimethylaniline | |
| 90-04-0 | o-anisidine | C2 (EU), 2B(NTP, IARC) |
| 95-68-1 | 2,4-xylidine | 3(NTP, IARC) |
| 87-62-7 | 2,6-xylidine | 2B(NTP, IARC) |
| 60-09-3 | 4amino-azo-benzen | C2 (EU) |

(2) Carcinogenic Dyes

| | | | |
|-----------|----------------------|----------|---------------------------------------|
| 569-61-9 | C.I. BASIC RED 9 | CI 42500 | C2 (EU), 2B(NTP, IARC), Oeko-Text |
| 2475-45-8 | C.I. DISPERSE BLUE 1 | CI 64500 | C2 (EU), 2B(NTP, IARC), Oeko-Text |
| 3761-53-3 | C.I. ACID RED 26 | CI 16150 | 2B(NTP, IARC), Oeko-Text |
| 6459-94-5 | C.I. ACID RED 114 | CI 23635 | 2B(NTP, IARC) |
| 2602-46-2 | C.I. DIRECT BLUE 6 | CI 22610 | C2, R3 (EU), 2A(NTP, IARC), Oeko-Text |
| 1937-37-7 | C.I. DIRECT BLACK 38 | CI 30235 | C2, R3 (EU), 2A(NTP, IARC), Oeko-Text |

| | | | |
|-----------|------------------------|----------|-----------------------|
| 573-58-0 | C.I. DIRECT RED 28 | CI 22120 | C2, R3 (EU), Oeko-Tex |
| 2932-40-8 | C.I. DISPERSE YELLOW 3 | CI 11855 | Oeko-Tex |

(3) Skin Sensitizing Dyes

| | | | |
|------------|-------------------------|----------|----------------|
| 2475-46-9 | C.I. DISPERSE BLUE 3 | CI 61505 | ETAD, Oeko-Tex |
| 12222-75-2 | C.I. DISPERSE BLUE 35 | | ETAD, Oeko-Tex |
| | C.I. DISPERSE BLUE 106 | | ETAD, Oeko-Tex |
| | C.I. DISPERSE BLUE 124 | | ETAD, Oeko-Tex |
| 2832-40-8 | C.I. DISPERSE YELLOW 3 | CI 11855 | ETAD, Oeko-Tex |
| 730-40-5 | C.I. DISPERSE ORANGE 3 | CI 11005 | ETAD, Oeko-Tex |
| | C.I. DISPERSE ORANGE 37 | | ETAD, Oeko-Tex |
| 2872-52-8 | C.I. DISPERSE RED 1 | CI 11110 | ETAD, Oeko-Tex |
| 2475-45-8 | C.I. DISPERSE BLUE 1 | CI 64500 | Oeko-Tex |
| 3179-90-6 | C.I. DISPERSE BLUE 7 | CI 62500 | Oeko-Tex |
| 3860-63-7 | C.I. DISPERSE BLUE 26 | CI 63305 | Oeko-Tex |
| | C.I. DISPERSE BLUE 102 | | Oeko-Tex |
| | C.I. DISPERSE ORANGE 1 | CI 11080 | Oeko-Tex |
| | C.I. DISPERSE ORANGE 76 | | Oeko-Tex |
| 2872-48-2 | C.I. DISPERSE RED 11 | CI 62015 | Oeko-Tex |
| | C.I. DISPERSE RED 17 | CI 11210 | Oeko-Tex |
| 119-15-3 | C.I. DISPERSE YELLOW 1 | CI 10345 | Oeko-Tex |
| | C.I. DISPERSE YELLOW 9 | CI 10375 | Oeko-Tex |
| | C.I. DISPERSE YELLOW 39 | | Oeko-Tex |
| | C.I. DISPERSE YELLOW 49 | | Oeko-Tex |

Source: International Agency for Research on Cancer (IARC)
National Toxicology Program (NTP)
EU Directive 76/769/EC
EU Directive 2002/61/EC
Ecological and Toxicological Association of the Dyes and
Organic Pigments Manufacturers (ETAD)
Oeko-Tex STANDARD 100

Appendix 2
Omitted

Attachment

Certificates on collection and recycling

For cases designated under “Extensive authorization system”, requirements (3) - (6) are considered to be met.

To commission the transportation and disposal of industrial waste, Waste Disposal and Public Cleansing Law shall be followed and certificates (3) - (6) below are required.

(1) Name of collection and recycling system**(2) Collection and recycling categories**

Material recycling/Chemical recycling

(3) Outline of collection and recycling systems (Based on actual operation of collection and recycling systems)

1) Finance

2) Collection assurance


Example: Collection agreement with user, sewing of cloth label to product, etc.

3) Present operation of collection and recycling systems

Example: Products/materials applicable for collection and recycling (Natural fiber 100%, synthetic fiber mixture rate, etc.), Applicable regions of collection and recycling systems, Recovery rate (No. products recovered/No. products sold), Recycling rate (No. products recycled/No. products recovered), Recycling rate per product (Weight of parts recycled /product weight), collection ability, recyclability (No. tons/year), Re-production purposes, etc.

4) Overview of collection and recycling systems and relation with concerned entities

Example: Models of apparel subject to extensive recycling and reuse designation system



(4) Name of recycling vendors and waste disposal certification

Certificates indicating vendor name and waste disposal is allowed to concerned entities such as:

- 1) Waste disposal within own plant (Applicant)
- 2) Intermediate disposal vendor
- 3) Final disposal vendor

(5) Handing Over of Wastes to Recycling Vendors

Description should be given as to how products under application are discharged (industrial wastes, general wastes, valuable resources, etc.) and methods of handing over such products from waste disposer to recycling vendor should be explained.

(6) Submission of agreements

- 1) A copy of industrial waste disposal and collection and transportation contract
- 2) A copy of vendor contract (Contract between applicants and collection and recycling system providers)